




LABORATORY LINES

CENTRIFUGES



Kalstein®

A different accompaniment, at your service





Kalstein®

A different accompaniment, at your service

OUR SERVICES

Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response

Our work team is always available to response all your consults or questions, in order to support you in any situation.



#Letsgivemore ♥

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.



Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



High speed refrigerated centrifuge with LCD screen

Model YR0114

Separating a sample is a very important part in every laboratory. That is why you need to have the right refrigerated centrifuge in order to get the appropriate results according to your needs. It is important that you know the amount of g-force and speed you need. We offer you the highest technology available.

Refrigerated centrifuge

The centrifuge process consists in separating particles from a solution according to their size, shape, density and viscosity. The centrifugal force is a very crucial technique in biochemistry or biotechnology. In this case, we are presenting you the floor-standing model that meets your research needs.

High speed refrigerated centrifuge

In this case, we present you with two models: the YR0114 (YR0114-1) and YR0115 (YR0115-1). Both models are centrifuges used to collect microorganisms and cellular samples. These high-speed centrifuges' max RCF is 52000g with a maximum speed of 22000rpm for the YR0114 (YR0114-1) model and 50400g with a maximum speed of 21000rpm for the YR0115 (YR0115-1) model. About the control system, both models run with a microcomputer control, an electronic lock and an AC variable-conversion motor, which delivers high torque.

These refrigerated centrifuges work with an imported compressor unit that runs with a non-CFC refrigerant. This means that these models meet up the environmental standards. Another great feature is that these are programmable machines, so the operation data can be automatically stored. The YR0114/ YR0115 models comes with a LCD screen, and the YR0114-1/ YR0115-1 models come with a LED display and a touching panel, which makes the operation a lot easier. Other great features about these high-speed refrigerated centrifuges are:

- ✓ Self-locking device.
- ✓ Over-speed safety device.
- ✓ Over temperature safety device.
- ✓ Imbalance safety device.
- ✓ Automatic alarm device.

The real-time conversation of speed and RCF is very convenient for operation. Finally, these models have 10 acceleration and deceleration level files for you to choose.

About these models' capacity, you should know that the maximum is 600mlx6. The temperature setting is from -20 to 40 degrees Celsius. The power supply is AC220V 50Hz 30A and the external dimensions are (LxWxH) 710mmx840mmx1200mm with a net weight of 290Kg.



Technical performance

- ✓ YR0114(YR0114-1) has the max speed of 22000rpm. The max RCF is 52000g. YR0115(YR0115-1) has the max speed of 21000rpm. The max RCF is 50400g.
- ✓ It has micro-computer control, electronic lock and AC variable-conversion motor which delivers high torque.
- ✓ Imported compressor unit with Non-CFC.refrigerant. It measures up to environmental standards.
- ✓ The machine is programmable. The operation data can be stored automatically.
- ✓ YR0114/ YR0115 has LCD,and YR0114-1/ YR0115-1 has LED display. Touching panel makes the operation easy.
- ✓ The real-time conversation of Speed and RCF is convenient for operation.
- ✓ It has self-locking device, over-speed safety device, over-temperature safety device, imbalance safety device and automatic alarm device.
- ✓ It has 10 files of acceleration and deceleration level for your choice.



#Letsgivemore ♥

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
Optimum Business Center 450 Rue Baden Powell,
• 34000 Montpellier, France.
Titl: +33 467158849 / +33 680760710/ +33 663810023
<https://kalstein.eu>
KALSTEIN FRANCE, S.A. S



High speed refrigerated centrifuge with LCD screen

Model YR0114



Floor-standing High Speed Refrigerated Centrifuge

Model:	YR0114	YR0114-1	YR0115	YR0115-1
Max speed:	22000rpm		21000rpm	
Max RCF:	52000g 50400g			
Max capacity:	600mlx6	600mlx6	600mlx6	600mlx6
Speed accuracy:	± 50r/min	± 50r/min	± 50r/min	± 50r/min
Time setting:	1min~99h59min			
Temperature Setting:	-20 ~ +40°C		-20 ~ +40°C	
Temperature Accuracy:	±1°C	±1°C	±1°C	±1°C
Compressor Unit:	French Tecumseh Compressor Unit, R404a			
Noise:	<65dB(A)	<65dB(A)	<65dB(A)	<65dB(A)
Power supply:	AC220V 50Hz 30A			
Dimension(LxWxH):	710mmx840mmx1200mm			
Packing size(LxWxH):	890mmx960mmx1450mm			
Net weight:	290kg	290kg	290kg	290kg



#Letsgivemore ♥

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
Optimum Business Center 450 Rue Baden Powell,
• 34000 Montpellier, France.
Tél: +33 467158849 / +33 680760710/ +33 663810023
<https://kalstein.eu>
KALSTEIN FRANCE, S.A. S



High speed refrigerated centrifuge with LCD screen

Model YR0114

Rotors:

	<p>NO.1 Capacity: 5ml×16 Speed: 21000r/min Centrifugal force: 50400×g 0.5ml, 1.5ml</p>		<p>NO.1 Capacity: 10ml×16 Speed: 21000r/min Centrifugal force: 50400×g 1.5ml, 5ml</p>
	<p>NO.1 Capacity: 1.5/2.2ml×36 Speed: 21000r/min Centrifugal force: 50400×g 0.2ml, 0.5ml</p>		<p>NO.2 Capacity: 20ml×12 Speed: 16500r/min Centrifugal force: 31100×g 5ml, 10ml</p>
	<p>NO.3 Capacity: 10ml×18 Speed: 21000r/min Centrifugal force: 50400×g 1.5ml, 5ml</p>		<p>NO.4 Capacity: 50ml×8 Speed: 18000r/min Centrifugal force: 35047×g 10ml, 20ml</p>
	<p>NO.5 Capacity: 70ml×6 Speed: 15000r/min Centrifugal force: 25700×g</p>		<p>NO.6 Capacity: 750ml×4 Speed: 5000r/min Centrifugal force: 5470×g View adapter rotor</p>
	<p>NO.7 Capacity: 15ml×8×4 Speed: 5000r/min Centrifugal force: 4390×g View adapter rotor</p>		<p>NO.7 Capacity: 50ml×2×4 Speed: 5000r/min Centrifugal force: 4390×g View adapter rotor</p>



#Let'sgivemore ❤️

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
Optimum Business Center 450 Rue Baden Powell,
• 34000 Montpellier, France.
Tél: +33 467158849 / +33 680760710 / +33 663810023
<https://kalstein.eu>
KALSTEIN FRANCE, S.A. S



High speed refrigerated centrifuge with LCD screen

Model YR0114

Rotors:

 <p>NO.7 Capacity: 50ml×4 Speed: 5000r/min Centrifugal force: 4390×g View adapter rotor</p>	 <p>NO.8 Capacity: 1000ml Speed: 14000r/min Centrifugal force: 21500×g 200-600ml/min</p>
 <p>NO.9 Capacity: 300ml×6 Speed: 11000r/min Centrifugal force: 19650×g 50ml, 100ml</p>	 <p>NO.10 Capacity: 500ml×6 Speed: 9000r/min Centrifugal force: 14400×g 50ml, 100ml, 250ml</p>
 <p>NO.11 Capacity: 50ml×6 Speed: 20000r/min Centrifugal force: 43000×g 10ml, 20ml</p>	 <p>NO.12 Capacity: 100ml×8 Speed: 14000×g Centrifugal force: 26952×g 10ml, 20ml</p>
 <p>NO.13 Capacity: 250ml×6 Speed: 12000r/min Centrifugal force: 22470×g 50ml, 100ml</p>	 <p>NO.14 Capacity: 15ml×32 Speed: 16000r/min Centrifugal force: 30940×g 5ml, 10ml</p>
 <p>NO.17 Capacity: 600ml×6 Speed: 7000r/min Centrifugal force: 9100×g 50ml, 100ml, 250ml</p>	 <p>NO.18 Capacity: 3000ml Speed: 8000r/min Centrifugal force: 9500×g 200-800ml/min</p>
 <p>NO.20 Capacity: 96 ×8 Speed: 4000r/min Centrifugal force: 2236×g</p>	 <p>NO.23 Capacity: 1000ml Speed: 16000r/min Centrifugal force: 28100×g 200-600ml/min</p>



#Letsgivingmore 

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
Optimum Business Center 450 Rue Baden Powell,
• 34000 Montpellier, France.
Tél: +33 467158849 / +33 680760710 / +33 663810023
<https://kalstein.eu>
KALSTEIN FRANCE, S.A. S





 **Kalstein**[®]
A different accompaniment, at your service

#LETSGIVEMORE 

**WITH THE
ACQUISITION
OF A KALSTEIN
EQUIPMENT**

YOU MAKE A CONTRIBUTION TO:

 **Fundación
Jacinto Convit**
<https://www.jacintoconvit.org/>


 **ONE
TREE
PLANTED**

<https://onetreepanted.org>

 **Humatem**
Solidarité et coopération
biomédicale
<https://www.humatem.org/>


**MANIAPURE
FOUNDATION USA**
<https://www.maniapurefoundation.org/>

Articles Kalstein
(Social Networks and Official Websites)



Kalstein Blog
Not just be informed, be fully informed
The 3 articles of the week!
Read more on Kalstein's social medias or official websites
<https://kalstein.eu/articles>



1
Read this ARTICLE NOW
How does the climate affect your microscope?
A microscope is an instrument that allows observing and measuring objects that are too small to be seen with the naked eye. This is achieved through a complex system of lenses and mirrors, which form an image of the object being observed.
Kalstein Blog
Article of the week:
How does the climate affect your microscope?
Read more on Kalstein's social medias or official websites
<https://kalstein.eu/articles>



2
Read this ARTICLE NOW
What is the importance of the laboratory refrigerator?
A refrigerator in a laboratory is one of the most important pieces of equipment. It is used to maintain, in a controlled environment (refrigerated space), various fluids and substances.
Kalstein Blog
Article of the week:
What is the importance of the laboratory refrigerator?
Read more on Kalstein's social medias or official websites
<https://kalstein.eu/articles>

Kalstein Training Videos
(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Alliances

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago



MONTPELLIER - FRANCE
HEADQUARTER
Optimum Business Center,
450 Rue Baden Powell,
34000 Montpellier - France.

Fax: +33 (0) 4 67 15 88 49
Tel: +33 (0) 6 80 76 07 10
sales@kalstein.eu

<https://kalstein.eu/>
<https://www.kalstein.fr/>

Official Websites for Latin America.

