



A different kind of support at your service



Kalstein®

All Rights Reserved © KALSTEIN France S. A. S.,

LABORATORY SECTOR

**ELECTROLYTE
ANALYZER**



All rights reserved KALSTEIN France S.A.S.
5 Rue Castiglione 75001 Paris - France
+33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07
<https://kalstein.net>
KALSTEIN FRANCE, S.A.S

www.kalstein.net/en/



Benefits & Assistance

At Kalstein France we care about the full satisfaction of our customers, that's why we offer value-added services of the highest level based on our expertise.

Quick Response

Our team is always available to answer all your questions or queries, in order to support you in any situation...

Technical Support

Enjoy personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein manuals and articles, special catalogs and video tutorials.

#Letsgivemore

Thanks to your purchase, a donation is made to a non-profit foundation that fights cancer and helps vulnerable communities.

AI Model Recommendation

Model recommendation through AI is used to analyze user behavior, preferences and specific characteristics in order to recommend the most suitable product models for each customer.

Kalstein+ Platform

All of this would be presented in an intuitive and easy-to-use interface, providing a personalized and satisfying shopping experience for each customer.

Kalstein worldwide

With more than 25 years growing with our customers, Kalstein's multi-format and modern content is now present in more than 10 countries and growing.

Delivery Logistics

We take care of all the logistics necessary for the shipment of your goods, whether by sea, land or air.



KALSTEIN® Electrolyte Analyzer

Electrolyte Analyzer

Model YR06396 // YR06406



Product Description:

- ✓ This device is equipped with automatic electric potential tracking and correction software to maintain stable performance. It efficiently detects and filters tiny bubbles to prevent clogging and ensure precise measurements. Real-time diagnosis of the system's working status and automatic detection of waste liquid, with corresponding alarms, enhance operational safety.
- ✓ The instrument features automatic calibration and two-point correction for slope and intercept adjustments, ensuring accuracy. Utilizing wave flushing and direct flushing pipe methods, it minimizes blockages and cross-contamination risks. With power failure protection, it can store up to 10,000 results, while its minimal consumption helps reduce consumable costs.



#Letsgivingmore ♥

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
 5 Rue Castiglione 75001 Paris – France
 +33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10
<https://kalstein.net>
 KALSTEIN FRANCE, S.A.S



KALSTEIN® Electrolyte Analyzer

Electrolyte Analyzer

Model YR06396 // YR06406



Technical Specifications:

Model	YR06396	YR06397	YR06398	YR06399	YR06400
Sample	serum, plasma, whole blood and dilute urine				
Analysis Method	ion selective electrode(ISE)				
Measuring time	≤30s				
Sample position	39 positions (including 5 emergency and 4 functional positions)				
Storage	up to 10000 test results				
Printer	Internal thermal printer				
Interface	RS232 port				
Temperature	10-30°C				
Relative Humidity	80%				
Atmospheric pressure	86~106 kPa				
Power supply	AC220V±22V, 50Hz±1Hz				
Power	<120W				
Test Parameters	K Na Cl	K Na Cl TCO, AG	K Na Cl iCa nCa TCa pH	K Na Cl iCa nCa TCa pH TCO ₂ AG	K Na Cl Li



#Letsgivemore

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
5 Rue Castiglione 75001 Paris – France
+33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10
<https://kalstein.net>
KALSTEIN FRANCE, S.A.S



KALSTEIN® Electrolyte Analyzer

Electrolyte Analyzer

Model YR06396 // YR06406



Model	YR064001	YR06402	YR06403	YR06404	YR06405	YR06406
Sample	serum, plasma, whole blood and dilute urine					
Analysis Method	ion selective electrode(ISE)					
Measuring time	≤30s					
Sample position	39 positions (including 5 emergency and 4 functional positions)					
Storage	up to 10000 test results					
Printer	Internal thermal printer					
Interface	RS232 port					
Temperature	10-30°C					
Relative Humidity	80%					
Atmospheric pressure	86-106 kPa					
Power supply	AC220V±22V, 50Hz±1Hz					
Power	<120W					
Test Parameters	K Na Cl iCa nCa TCa pH Li	K Na Cl iCa nCa TCa pH Li TCO ₂ AG	K Na Cl iCa nCa TCa pH Mg	K Na Cl iCa nCa TCa pH Mg TCO ₂ AG	K Na Cl iCa nCa TCa pH Mg Li TCO ₂ AG	K Na Cl iCa nCa TCa pH Mg Li



#Letsgivemore

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
5 Rue Castiglione 75001 Paris – France
+33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10
<https://kalstein.net>
KALSTEIN FRANCE, S.A.S



KALSTEIN® Electrolyte Analyzer

Electrolyte Analyzer

Model YR06396 // YR06406



Accessories:

Model	Description
YRA264	K Electrode
YRA265	K Electrode
YRA266	Cl Electrode
YRA267	Ca Electrode
YRA268	pH Electrode
YRA269	Li Electrode
YRA270	Mg Electrode
YRA271	Ref. Electrode
YRA272	Reagent Pack Calibration A 430ml; Calibration B 110ml; (For Model H900 only)
YRA273	Reference Electrode Internal Solution – 10ml
YRA274	Electrode Internal Solution – 3ml
YRA275	Activating Solution – 110ml
YRA276	QC Solution Level 2 (Water-based) – 110ml
YRA277	Cleaning Solution – 110ml
YRA278	Electrode Wash Solution (Protein Enzyme) -125mg (25mg/bottle x5)
YRA278-1	Electrode Wash Solution (Diluent) – 5ml (1 bottle)



#Letsgivemore

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved © KALSTEIN France S. A. S.,
5 Rue Castiglione 75001 Paris – France
+33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10
<https://kalstein.net>
KALSTEIN FRANCE, S.A.S





FOR ALL KALSTEIN CUSTOMERS

JOIN KALSTEIN+ NEW PLATFORM!

TECHNOLOGICAL SOLUTIONS!



Artificial Intelligence

State-of-the-art tool (integrated into all web pages) necessary for the rapid preparation of tenders or ordinary requests.



Technological Device

A cutting-edge device designed to seamlessly connect your lab equipment with our mobile app on Kalstein phones..



K+ Platform

The distributor client can build their business and make their quotes automatically with shipping costs to the final destination always with the identity of their company.

BUSINESS SOLUTIONS!

✓ Marketing Service

Creation of content for the Blog and informative guides for SEO positioning

✓ Dropshipping

For the reception and preparation of the order on behalf of your company and sent to the end customer connected to Kalstein tracking with product customization.

✓ Special Discounts

Up to 41% plus 4% on shipping

INTRODUCING THE NEW ERA OF KALSTEIN INTELLIGENT EQUIPMENT

We are pleased to announce the development of a revolutionary addition to our product range: a cutting-edge device designed to seamlessly connect your laboratory equipment with our mobile app on Kalstein phones.

CONTACT US

(+33) 01 70 39 26 50 / (+33) 7 60 83 92 83

Mail: sales.department@kalstein.eu

www.kalstein.net

📍 5 rue de Castiglione 75001 Paris – France.

CONNECT WITH US ON KALSTEIN+

DO YOU NEED ASSISTANCE?



HOW TO REQUEST A VIDEO CALL?

At Kalstein+, we are committed to providing you with the best possible service, adapting to your needs in a personalized and efficient manner. That's why we cordially invite you to join us on a video call.



+ (33) 7 77 66 24 64



HOW CAN YOU DOWNLOAD THE APPLICATION?

Download the Kalstein+ app now and take the Kalstein experience with you wherever you go! Don't miss the opportunity to stay up to date with the latest news and special offers.



Download it on
the Play Store



Download it on
the App Store

CONTACT US

(+33) 01 70 39 26 50 / (+33) 7 60 83 92 83

Mail: sales.department@kalstein.eu

www.kalstein.net

📍 5 rue de Castiglione 75001 Paris – France.