



ELECTROSURGICAL UNIT





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





OUR SERVICES Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings In any part of the world, receive your

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response Our work team is always available to

Our work team is always available to response all your consults or questions, in order to support you in any situation.



#Letsgivemore

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.



Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.







KALSTEIN® Electrosurgical Unit

Electrosurgical Generators Model YR02147



Product Description:

- ✓ Five working modes with Compact and light design
- ✓ Monopolar Cut (Pure cut, Blend)
- ✓ Monopolar Coag (Standard Coag)
- ✓ Bipolar Cut, Bipolar Coag fully meet different surgery requirement.
- ✓ Tissue Monitoring Technology
- ✓ This technology monitors the tissue density, especially for polypectomy and papillotomy, cutting is smartly divided in cut and pause, so that coagulation occurs in each pause. The system is intelligent to change the pause interval as tissue density changes, hence produces fine cutting with coagulation effect.
- ✓ Waterproof Panel Operation
- ✓ Microcomputer Auto Control, Two-zone (LED) digital display.

| Model Working Mode | | YR02147 Max Power / Rated Load |
|---|-------------------------------|-----------------------------------|
| | | |
| | Blend 1 | 50W / 500Ω |
| Monopolar Coag | Standard Coag | 50W /500Ω |
| Bipolar Cut | Bipolar Cut | 40W / 100Ω |
| Bipolar Coag | Bipolar Coag | 40W / 100Ω |
| Electrical requirement | Monopolar Measuring Frequency | 4.0MHZ ±2% |
| | Bipolar Measuring Frequency | 1.84MHZ ±2% |
| | Max Input Currency | 1400VA |
| Environmental Conditions for Use | Condition | Range |
| | Temperature | 50°C to 40°C |
| | Relative humidity | ≤ 95% non-condensing |
| | Pressure | 700 hPa to 1060 hPa |



#Letsgivemore Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.

All rights reserved © KALSTEIN France S. A. S.,



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org

- Contraction - Humotem Solidarité et coopération biomédicale https://www.humatem.org/





ANY DOUBT?

Contact us!

Articles Kalstein (Social Networks and Official Websites)





PARIS - FRANCE **HEADQUARTER** 2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu


https://kalstein.eu/ https://www.kalstein.fr/

Kalstein Training Videos (Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes 445 views • 1 week ago

