

LABORATORY SECTOR

HOTPLATE AND HOTPLATE STIRRER





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





OUR SERVICES Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings In any part of the world, receive your

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response Our work team is always available to

Our work team is always available to response all your consults or questions, in order to support you in any situation.



#Letsgivemore

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.



Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.







KALSTEIN® Hotplate and Hotplate Stirrer

Hotplate Magnetic Stirrer Model YR02953 // YR02954

CE



Product Description:

- ✓ 4-position Hotplate Magnetic stirrer
- ✓ Digital Display, Temperature: Rt -380°C, Mixing speed :100-1800 RPM
- ✓ Ceramic coated aluminum plate for corrosion resistance
- ✓ Specially designed housing prevents spill from damaging the electronic components inside
- ✓ Adjustable rotation speed and temperature
- ✓ OEM service

ltem	Specification	
Model	YR02953	YR02954
Top Plate material	WHite Ceramics, square plate	
Stir Range	100~1800rpm	
Stir Speed Accuracy	±1 rpm	
Top Ceramic Dimension for each	140 × 140	180 × 180
position (MM)	140 ~ 140	100 ^ 100
Working Time	Continue	
Position	4	
Stir Speed Display	Digital Display	
Max Temp for top Plate	325°C	
Temperature Range for each position	ambient to 400degree	
Temperature Accuracy	±1 degree	
Temperature Control	PID	
Voltage	160-240V,	
Temperature Display	Digital display	
Outer Thermo	to measure and control the liquid temperature value together with the front panel	
Inner Thermo .	control and Measure the hotplate stirrer temperature	
Motor Power for each position	40W, DC20V	40W, DC20V
Product power for each position	350W	550W
Stir Capacity for each position	50ml-1000ml	50ml-5000ml
Shell material	Superfine metal	
net weight (KG)	14	20



#Letsgivemore 💜

All rights reserved © KALSTEIN France S. A. S.,

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org

- Contraction - Humotem Solidarité et coopération biomédicale https://www.humatem.org/





ANY DOUBT?

Contact us!

Articles Kalstein (Social Networks and Official Websites)





PARIS - FRANCE **HEADQUARTER** 2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu


https://kalstein.eu/ https://www.kalstein.fr/

Kalstein Training Videos (Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes 445 views • 1 week ago

