

MEDICAL SECTOR PATIENTS MONITOR



All rights reserved KALSTEIN France S.A.S.

5 Rue Castiglione 75001 Paris - France
+33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07

https://kalstein.net
KALSTEIN FRANCE, S.A.S



Benefits & Assistance

At Kalstein France we care about the full satisfaction of our customers, that's why we offer value-added services of the highest level based on our expertise.



Kalstein+ Platform

All of this would be presented in an intuitive and easy-to-use interface, providing a personalized and satisfying shopping experience for each customer.



Quick Response

Our team is always available to answer all your questions or queries, in order to support you in any situation...





#Letsgivemore **

Thanks to your purchase, a donation is made to a non-profit foundation that fights cancer and helps vulnerable communities.



Technical Support

Enjoy personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein manuals and articles, special catalogs and video tutorials.





Delivery Logistics

We take care of all the logistics necessary for the shipment of your goods, whether by sea, land or air.



Kalstein worldwide

With more than 25 years growing with our customers, Kalstein's multi-format and modem content is now present in more than 10 countries and growing.





Al Model Recommendation

Model recommendation through Al is used to analyze user behavior, preferences and specific characteristics in order to recommend the most suitable product models for each customer.

KALSTEIN® Patient Monitor

Patient Monitors

Model YR02170 // YR02171 // YR02172





Product Description:

- ✓ Multi-channel display
- ✓ Big font interface
- ✓ ST and arrhythmia analysis
- ✓ Drug dose calculation and titration table
- ✓ OxyCRG dynamic view display
- ✓ Respiration monitoring with apnea alarms
- ✓ Alarm review, arrhythmia review
- ✓ NIBP over pressure protection
- ✓ Plug-in rechargeable battery, AC/DC available.
- ✓ Supporting wire or wireless network..







#Letsgivemore 🌹

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 5 Rue Castiglione 75001 Paris – France +33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10 https://kalstein.net KALSTEIN FRANCE, S.A.S



KALSTEIN® Patient MonitorPatient Monitors



Model YR02170 // YR02171 // YR02172

Technical Description:

Model		YR02170	YR02171	YR02172		
ECG	Lead mode	5 Leads(RA,LA,LL,RL,V)				
	Connection method	I, II, III,AVR,AVL,AVF,V				
	Lead Mode	3 Leads (RA,LA,LL)				
	Connection method	I, II,III				
	Waveform	1ch				
	Gain	x250, x500, x1000, x2000				
	HR Range	Adult: 15~300bpm				
	Neo/Ped	15~350bpm				
	Accuracy	±1% or ±1bpm				
	Resolution	1bpm				
	Sensitivity	>200(uVp-p)				
	Differential input impedance	≥5MΩ				
		ST segment Monitoring Range				
	Measure Range	-2.0~+2.0mV				
	Measure Accuracy	-0.8mV~+0.8mV				
Heart Rate	Measuring range	0~350bpm 20~300bpm				
	Accuracy	±1bpm				
	Resolution	1bpm				
	Sensitivity	>200UVp-p				
Respiration	Method	Impedance between R-F(RA-LL)				
	Differential Input Impedance	>2.5ΜΩ				
	Measuring Impedance Range	0.3~3.0 ΜΩ				
	Base line Impedance Range	200~4000Ω				
	Bandwidth	0.1~2.5Hz				
	Resp. Rate	Adult: 2~120BrPM				
	Neo/Ped	2~150BrPM	0~150	BrPM		
	Resolution	1 BrPM				
	Accuracy	±2 BrPM				
	Alarm	10~40S				



#Letsgivemore 💗

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 5 Rue Castiglione 75001 Paris – France +33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10 https://kalstein.net KALSTEIN FRANCE, S.A.S



KALSTEIN® Patient Monitor

Patient Monitors





NIBP	Method	Oscillometric		
	Mode	Manual/Auto/STAT		
	Measuring Interval in AUTO Mode	1,2,3,4,5,10,15,30,60,90,120,180,240,480(Mi n)		
	Measuring Period in STAT Mode	5 Min		
	Pulse Rate Range	40~240bpm		
	Alarm Type	SYS, DIA, MEAN		
	Resolution			
	Pressure	1mmHg		
	Accuracy	Maximum Mean error: 5mmHg		
	Maximum Standard deviation	8mmHg		
SPO2	Display	Number of SPO2,waveform of capacity,Pulse		
	Measuring range	0~100%		
	Resolution	1%		
	Accuracy	70~100% (±2%)		
	Alarm system	Audio-video alarm		
	Pulse rate range	0~300bpm		
ТЕМР	Channel	2		
	Measuring and Alarm Range	0~50°C		
	Resolution	0.1°C		
	Accuracy	0.1°C		
	Actualization interval	about 1 Second.		
	Average Time Constant	<10 Second.		



#Letsgivemore 💗

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 5 Rue Castiglione 75001 Paris – France +33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10 https://kalstein.net KALSTEIN FRANCE, S.A.S





We present the prototype of the Kalstein phone

Stay ahead of trends with our advanced mobile technology.



www.kalstein.net



#LETSGIVEMORE >

WITH THE ACQUISITION OF KALSTEIN EQUIPMENT

TO WHICH YOU CONTRIBUTE:





https://onetreeplanted.org



https://www.humatem.org/



https://www.maniapurefoundation.org/



PARIS - FRANCE

HEADQUARTERS

5 Rue Castiglione 75001 Paris - France

Tlf: +33 (0) 1 70 39 26 50 **Cel**: +33 (0) 6 80 76 07 10 **Cel**: +33 (0) 6 63 81 00 23

sales@kalstein.eu

https://www.kalstein.eu/ https://www.kalstein.net/

Follow us on our Social Networks!







Here you will find our Tutorials!



