




# LABORATORY SECTOR

CLIMATIC CHAMBER









OUR SERVICES

# **Benefits and Support**

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



# Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



#### **Quick Response**

Our work team is always available to response all your consults or questions, in order to support you in any situation.





### #Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



#### **Technical Support**

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





#### **Delivery Logistics**

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



#### Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG







#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.





**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG





#### **Application**:

Plant growth chamber are widely used in plant research, commercial horticultural cultivation, plant source pharmaceutical and other bio pharmaceutical industries. It is suitable for plant culture, seed germination, tissue culture, algal reproduction, and the cultivation of small insects and Drosophila. It is the equipment that biotechnology companies, government departments and university research institutes often need to purchase

#### **Function and Features:**

- It has constant temperature and humidity and light setting, and can simulate the weather conditions of daylight illumination such as cloudy day and dark night, providing proper environmental factors for plant growth.
- The temperature range, air flow size, humidity control and illumination can be adjusted by the control system, and can be programmed in sections according to different needs and different seasons. It is very suitable for 3-6 months of plant culture or longer running time.
- ✓ Using fluorine-free R134 environment-friendly refrigerant, the system is more energy-saving and efficient, making the environment healthier. Balanced refrigeration, low temperature fluctuation, with automatic defrosting function, equipped with internationally famous brand compressor, with delay protection function, and stable operation.
- ✓ The chamber is made of mirror stainless steel, and the shelf spacing and the number of shelves can be adjusted. The

humidification component adopts a built-in large capacity intelligent humidification system with an automatic water replenishment tank, which is convenient for use

The temperature control system adopts an LCD screen and programmable intelligent PID controller to keep the temperature and humidity accurate. It also has functions such as timing, over temperature alarm and data recovery after power failure.

The lighting direction of the chamber can be selected as required: the PG series is a laminate lighting type, and the gap and YR series are three sides lighting type. In addition, the air volume of the air flow can be controlled to avoid excessive air volume affecting the seedlings

The lamps on both sides of the chamber are separated by sealing glass. There is no need to interrupt the cultivation when replacing the lamps (only for gzp and pqh Series). Dismountable compressor it is convenient for regular cleaning.



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu



KALSTEIN FRANCE, S. A. S

**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG







#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.






**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG







#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.







**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG





◆ Fluorine-free balanced refrigeration system

Using fluorine-free R134 refrigerant, energy-saving and efficient, green, with inlet and outlet



switch

There is a power switch on the side, safe use of electricity



Cold rolled steel plate

Shell using environmentally friendly electrostatic treatment, high quality cold rolled steel plate



Lighting tube

High-intensity fluorescent lamp, adjustable in illuminance



Intelligent temperature controller

Intelligent LCD temperature controller, intuitive display, stable measurement and control, easy to operate



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S



**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG







#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.





**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG





#### **Specification**:

name	Plant growth chamber (shelves type)						
Model	YR0LRH-100PG	YROLRH- 150PG	YR0LRH- 250PG	YR0LRH-350PG	YR0LRH-800PG	YR0LRH-1000PG	
Interior (mm) H•W•D	580×450× 380 (100I)	800×500× 380 (150I)	1000×550× 450 (250I)	1000×580× 600 (350I)	1200x1050x 650 (800I)	1200x1200x 700 (1000I)	
volume (L)	100	150	250	350	800	1000	
Voltage (V)	220			220	220	220	
Power (KW)	0.9	1.2	1.5	2.0	3.7	4.5	
Timer	0~999min						
Temp.range (°C)	0~65			0-65	0-65	0-65	
Shelf with lights	1pcs 2pcs 2pcs		2pcs	4pcs	4pcs		
LUX							
Humidity	40%~95%			40%~95%	40%~95%	40%~95%	
Humi fluctuation	±3			±3	±3	±3	
accuracy (°C)	±0.1			±0.1	±0.1	±0.1	
fluctuation (%)	±0.5			±0.5	±0.5	±0.5	



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu



KALSTEIN FRANCE, S. A. S

**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG





#### 2 Slides + Door Lights:

Name	Plant growth cha	mber (2 sides+door	lighting)					
Model	YR0GZP-150PG	YR0GZP-250PG	YR0GZP-350PG	YROGZP-800PG	YR0GZP-1000PG			
Interior (mm)	800×500× 380 (150L)	1000×550× 450 (250L)	1000×580× 600 (350L)	1200x1050x 650 (800L)	1200x1200x 700 (1000L)			
Volume (L)	150	250	350	800	1000			
Voltage (V)		220		220	220			
Power (KW)	0.9	1.0	1.2	2.8	3.6			
timer	0~9999min							
Temp.range (°C)		0~65		0-65	0-65			
shelf		2pcs		4pcs				
LUX	10000LX	15000LX 15000	DLX	15000LX	15000LX			
accuracy (°C)		±0.1		±0.1	±0.1			
fluctuation (%)		±0.5		±0.5	±0.5			



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.





**Plant Growth Chamber** 

#### Model YR0LRH100PG // YR0LRH-1000PG





Name	Plant growth chamber (2	? sides+door lightin	g) with humidity			
name	YROPQH-150PG	YR0PQH-250PG	YR0PQH-350PG	YROPQH-800PG	YR0PQH-1000PG	
interior (mm)	800×500× 380 (150I)	1000×550× 450 (250I)	1000×580× 600 (350I)	1200x1050x 650 (800I)	1200x1200x 700 (1000I)	
Volume (L)	150	250	350	800	1000	
Voltage (V)	220			220	220	
Power (KW)	1.3	1.5	1.8	3.5	4.3	
timer		•	0~99991	min		
Temp.range (°C)	0~65			0-65	0-65	
shelf	2 shelves			4 shelves		
LUX	10000LX	15000LX 15000	DLX	15000LX	15000LX	
Humidity accuracy (°C)		40%~95%		40%~95%	40%~95%	
fluctuation (%)		±3		±3	±3	
Temp.accuracy (°C)		±0.1		±0.1	±0.1	
fluctuation (%)	±0.5			±0.5	±0.5	



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.









#LETSGIVEMORE >

# WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



# **ANY DOUBT?**Contact us!

#### **Articles Kalstein**

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

**Tlf:** +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/

# **Kalstein Training Videos**

(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

