



Benefits & Assistance

At Kalstein France we care about the full satisfaction of our customers, that's why we offer value-added services of the highest level based on our expertise.

Quick Response

Our team is always available to answer all your questions or queries, in order to support you in any situation...

Kalstein+ Platform

All of this would be presented in an intuitive and easy-to-use interface, providing a personalized and satisfying shopping experience for each customer.

Technical Support

Enjoy personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein manuals and articles, special catalogs and video tutorials.

Kalstein worldwide

With more than 25 years growing with our customers. Kalstein's multi-format and modern content is now present in more than 10 countries and growing.

#Letsgivemore

Thanks to your purchase, a donation is made to a non-profit foundation that fights cancer and helps vulnerable communities.

Delivery Logistics

We take care of all the logistics necessary for the shipment of your goods, whether by sea, land or air.



Al Model Recommendation

Model recommendation through AI is used to analyze user behavior, preferences and specific characteristics in order to recommend the most suitable product models for each customer.



KALSTEIN® Dissolved Oxygen Meter Portable Conductivity / DO Meter

CE

Model YR06382



Product Description:

- ✓ Large LCD screen with controllable white backlight.
- ✓ Built-in microprocessor chip has Intelligent functions such as auto calibration, ATC, data storage, function settings, auto diagnosis, auto power off, and undervoltage prompt, etc.

Conductivity Mode:

- ✓ Adopt advanced conductivity measurement technology, with conductivity electrode (K=1), it can meet measuring accuracy requirement for range of 0.5µS/cm ~ 200mS/cm.
- Can switch among conductivity, TDS, salinity and resistivity. Multinomial calculation for TDS and salinity to ensure the conversion precision of the full scale.

DO Mode:

- ✓ It has functions of ATC, auto salinity compensation and manual pressure compensation.
- ✓ Polarographic DO electrode, short polarization time (3-5 minutes).



#Letsgivemore §



Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S 5 Rue Castiglione 75001 Paris – France +33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10 https://kalstein.net KALSTEIN FRANCE, S.A.S



KALSTEIN® Dissolved Oxygen Meter Portable Conductivity / DO Meter

Model YR06382

Model		YR06382
Cond.	Measuring range	Conductivity:
		(0.00~19.99)µS/cm
		(20.0~199.9)µS/cm
		(200~1999)S/cm
		(2.00~19.99)mS/cm
		(20.0~199.9)mS/cm
		TDS:(0~100)g/L
		Salinity:(0~100)ppt
		Resistivity:(0~100)MΩ·cm
	Resolution	0.01/0.1/1µS/cm; 0.01/0.1 mS/cm
	Accuracy	±1.0% FS, Overall:±1.5% FS
	Temp. compensation	(0~100)°C(Auto/manual)
	Electrode constant	0.1 / 1 / 10 cm-1
DO	Measuring range	(0 ~ 20.00) mg/L(ppm), (0 ~ 200.0)%
	Resolution	0.1/0.01 mg/L(ppm), 1/0.1 %
	Accuracy	Electrode: ±0.10 mg/L, Instrument: ±0.40 mg/L
	Response time	≤30s (25°C, 90%response)
	Residual current	≤0.1 mg/L
	Temp. compensation	(0 ~ 45)°C (auto)
	Salinity compensation	(0 ~ 45) ppt (auto)
	Pressure compensation	(66 ~ 200) kPa (manual)
	Auto calibration	Air saturated by water, water saturated by air
	Electrode type	Polarographic
Temp.	Measuring range	(0 ~ 100)°C
	Resolution	0.1°C
	Accuracy	5 ~ 60°C:±0.4°C Others: ±0.8°C
Other	Data storage	200 sets
	Power	Two AA batteries (1.5V x2)
	Ambient Temp.	5 ~ 35 °C
	Ambient humidity	≤85%
	IP grade	IP57 Dustproof and waterproof
	Dimensions/N.W.	(65×120×31)mm/180g
	Shipping size/G.W.	(460×300×55)mm/1Kg



#Letsgivemore 💗



Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. 5 Rue Castiglione 75001 Paris - France +33 (0) 1 70 39 26 50 / +33 (0) 6 80 76 07 10 https://kalstein.net KALSTEIN FRANCE, S.A.S





TECHNOLOGICAL SOLUTIONS!



Artificial Intelligence

State-of-the-art tool (integrated into all web pages) necessary for the rapid preparation of tenders or ordinary requests.



Technological Device

A cutting-edge device designed to seamlessly connect your lab equipment with our mobile app on Kalstein phones..



K+ Platform

The distributor client can build their business and make their quotes automatically with shipping costs to the final destination always with the identity of their company.

BUSINESS SOLUTIONS!

Marketing Service

Creation of content for the Blog and informative guides for SEO positioning

Dropshipping

For the reception and preparation of the order on behalf of your company and sent to the end customer connected to Kalstein tracking with product customization.

Special Discounts

Up to 41% plus 4% on shipping

INTRODUCING THE NEW ERA OF KALSTEIN INTELLIGENT EQUIPMENT

We are pleased to announce the development of a revolutionary addition to our product range: a cutting-edge device designed to seamlessly connect your laboratory equipment with our mobile app on Kalstein phones.

CONTACT US

(+33) 01 70 39 26 50 / (+33) 7 60 83 92 83 Mail: sales.department@kalstein.eu www.kalstein.net





HOW TO REQUEST A VIDEO CALL?

At Kalstein+, we are committed to providing you with the best possible service, adapting to your needs in a personalized and efficient manner. That's why we cordially invite you to join us on a video call.



+(33) 7 77 66 24 64



HOW CAN YOU DOWNLOAD THE APPLICATION?

Download the Kalstein+ app now and take the Kalstein experience with you wherever you go! Don't miss the opportunity to stay up to date with the latest news and special offers.





Download it on the App Store

CONTACT US