




VETERINARY SECTOR

VETERINARY X-RAY





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





OUR SERVICES

Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



KALSTEIN® Veterinary X-Ray

Portable Veterinary Digital X-Ray (DR) for Equine

Model YR06161



Product Description:

- ✓ 10.4-inch touch screen display
- ✓ Failure self-protection, self-diagnosis
- ✓ High precision control of tube voltage, tube current
- ✓ 48 kinds of presupposed anatomy memory pattern choice
- Accuracy control method of simulation and double digital loops
- X-ray tube complete surrender by lead for protect X-ray leaking
- Exposure by touch screen, hand switch or remote control



Technical Description:

Model		YR06160
Generator	Power	5kW
	kV Range	40~110kV
	mA Range	20~100mA
	mAs Range	0.8-200mAs
	Working Frequency	≥40kHz
	Exposure time	40ms~4000ms
X-ray tube	Anode heat storage	56KHU
	Focus	1.8mm
	Inherent filtration	1mm Al/75Kv
	Light source	LED
	Scintillator	CSI
	Active Area	10*13 inch
	Pixel Matrix	2528*3318
Wireless flat panel detector	Data Interface	WiFi / Tethered
	Trigger Mode	AED (optional) / Software
	Dimensions	269mm*362mm*16mm
	Weight	2.2kg
Touch Screen	Dimension	10.4-inch
Main Unit	Weight	19kg
	Dimension	290mm*265mm *230mm
Power Supply	Voltage	AC 220V±10%, 50Hz±1Hz



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE >

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



ANY DOUBT?Contact us!

Articles Kalstein

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/


Kalstein Training Videos

(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

