



OUR SERVICES

Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



KALSTEIN® Analyzers

Semi-auto Chemistry Analyzer

Model YR05116



Product Description:

- ✓ Windows Operating System with large touchscreen
- ✓ Displays the reaction curve in real time
- ✓ Adjustable continuous wavelength grille, improves stability and reliability
- ✓ The open reagent system supports both flow cell and cuvette mode, with
 a closed system available on demand
- ✓ Analytical modes include kinetic end point, fixed time, bicrobatic with or without sample blanking, non-linear absorption control
- ✓ Large memory, able to store up to 200 test protocols and 10,000 results
- ✓ Powerful QC program, several Westguard rules, Levey-Jennings plots, 2 controls per test
- ✓ Results in various formats including comprehensive patient report



Model	YR05116
Absorbance Range	-0.500 – 3.500Abs
Resolution	0.001Abs(displayed), 0.0001Abs(calculated)
Light Source	Halogen Lamp, 12V/20W
Wavelengths	Continuously adjusted grating, wavelength range is 330 – 800m, 1m per step adjustment
Wavelength Accuracy	± 1nm
Bandwidth	< 6nm
Flow Cell	Metal – quartz flow cell
Temperature Control	25 °C, 30 C, 37 C. ± 0.1 C and ambient temperature
Cross Contamination Rate	< 1%
Display	6.4* color/mono LCD
Output	Built-in printer or external printer
Input	Touch screen, optional mouse and keyboard
Interface	RS-232, VGA support,2 USB,SD,Ethernet
Language	English or any other language upon request
Power Supply	AC 110V/220V ± 10% , 50 60Hz
Net Weight	13,5K
Dimensions L x W x H (mm)	370 × 284 × 318



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE >

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



ANY DOUBT?Contact us!

Articles Kalstein

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/


Kalstein Training Videos

(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

