

# **VETERINARY SECTOR**

**VETERINARY PUMPS** 







All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





# our services Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



#### Online Inductions and Trainings In any part of the world, receive your

induction or training from our specialized team of engineers



#### **Quick Response** Our work team is always available to response all your consults or questions, in order to support you in

any situation.



### #Letsgivemore 💜

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



## Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.



# **Delivery Logistics**

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



### Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.







## **KALSTEIN®** Veterinary Pumps

Veterinary Infusion Pump Model YR06184

# CE

#### **Product Description**:

- ✓ The compact and light weight design saves space and is beneficial during patient transfer
- ✓ Free flow protection
- ✓ The built-in flow stop feature helps reduce the risk of accidental free flow prevent free flow when pump door is open.
- ✓ Anti-bolus function
- ✓ Diminishes the volume of unwanted Bolus injected to the patient after removal of the occlusion cause.
- ✓ Versatile functions
- ✓ 2000 history records
- ✓ RS232 interface
- ✓ Real time display
- ✓ Adjustable buzzer volume (3 levels)
- ✓ 3 adjustable occlusion pressure settings
- ✓ Four levels of air in line alarm adjustable





#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



#### All rights reserved © KALSTEIN France S. A. S.,

#### www.kalstein.eu

## **KALSTEIN®** Veterinary Pumps

**Veterinary Infusion Pump** 

Model YR06184

#### **Technical Parameters**:

Model	YR06184
Flow rate range	0.1~600 ml/h
Infusion mode	rate mode, drip mode (ml/h and drops/min can be switched)
Volume to be infused (VTBI)	0 ~ 9999 ml
Volume Infused (∑)	0 ~36000 ml
Infusion accuracy	±5%
Applicable infusion set	Support a wide variety brands of infusion set including major manufacturers & selected local brands
KVO rate	1 ~ 5 ml/h
Bolus rate	300~600 ml/h
Purge	600 ml/h
Air bubble detection	Ultrasound sensor detection with four levels of air in line alarm adjustable
Occlusion pressure	3 adjustable occlusion pressure settings: low, middle and high
Alarms	Visual and audible alarms: Door Open, Air-In-Line, Occlusion, Infusion completion, infusion near over, Start reminder function, Low Battery, Battery depleted, malfunction etc.
Computer Interface	RS232 (optional)
History records	2000 history records
Power supply	AC:100~240V,50/60Hz DC:12V ±1V
Battery	Rechargeable lithium polymer battery,7.4V,2100mAh Can operate for more than 3 hours after fully charged at 25ml/h.
Battery recharge time	10hs recharging when machine is turned on, 3hs recharging when machine is off.
Power consumption	25VA
Classification	Class I, type CF
Water Proof Level	IP×3
Mode of operation	continuous
Dimensions	145×100×120 mm (length×width×height)
Weight	≤1.4kg
Operating conditions	Temperature:5°C~40°C,relative humidity:10~95%, air pressure:86~106kPa
Transport conditions	Temperature-20°C~+60°C,relative humidity:10~95%,air pressure:50~106kPa
Storage conditions	Temperature-20°C~+45°C,relative humidity:10~95%,air pressure:50~106kPa

#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,

#### www.kalstein.eu





#LETSGIVEMORE

# WITH THE **ADCQUISITION OF A KALSTEIN EQUIPMENT**

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org

lumatem Solidarité et coopération biomédicale https://www.humatem.org/



https://www.maniapurefoundation.org/



# ANY DOUBT?



#### Articles Kalstein (Social Networks and Official Websites)





PARIS - FRANCE **H E A D Q U A R T E R** 2 Rue Jean Lantier 75001 Paris - France

**Tlf**: +33 (0) 01 78 95 87 89 **Cel**: +33 (0) 6 80 76 07 10 sales@kalstein.eu


https://kalstein.eu/ https://www.kalstein.fr/

#### Kalstein Training Videos (Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes 445 views • 1 week ago

