



OUR SERVICES

Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore **

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



KALSTEIN® Viscometer

Viscosity Measuring Analyzer Laboratory Viscometer

Model YR05855 // YR05856



Product Description:

Digital rotary viscosity operation is more convenient, more accurate value measurement, more complete functions. With LCD backlight display, program setting, automatic control, timing measurement, automatic scanning, error alarm and other functions. The screen shows the viscosity, temperature, timing measurement time, speed, rotor number, percent ratio, torque range of measurement to the viscosity and other information. The full range viscometer and the block linearity all through the computer interface with the standard silicone oil measurement correction, to ensure that the instrument has high sensitivity, high precision, high repetition. The measured data is accurate and reliable, with good reproducibility.

The apparent viscosity of absolute viscosity or non Newton type liquid digital viscometer can be measured. The Newton type liquid viscometer data processing software can be summarized for rheological properties of non Newton liquid. Widely used in grease, paint, paint, textile, food, slurry, medicine, cosmetics and other adhesives, fluid, semi fluid production industry and scientific research units.



Features:

- ✓ Measurement data direct LCD screen display does not require two calculations
- ✓ Using the latest international microcomputer drive technology, import stepper motor, accurate speed, smooth and reliable
- ✓ The use of advanced switching power supply technology, voltage and frequency range wide, power fluctuations will not affect measurement accuracy
- ✓ Level display device is very convenient on the front of the viscometer
- ✓ All ranges, the display accuracy of viscosity value is accurate to two decimal places, that is, 0.01mpa.S.
- ✓ With the function of timing measurement, it is very useful for detecting non Newtonian liquid
- ✓ Using small sample adapters, the amount of sample required for each measurement is very small, 18ml.
- ✓ Automatic scanning function, the instrument can automatically recommend the best combination of rotor and speed
- ✓ Automatically display the maximum range of viscosity that the selected combination can measure 10. With a print interface, you can directly connect to play micro printing machine, print a variety of data
- ✓ Optional data processing software, can record real-time viscosity with time, speed or rotor (shear rate), temperature changes vary, which provides a good method to understand the viscosity and rheological properties of non Newtonian liquids.



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S



KALSTEIN® Viscometer

Viscosity Measuring Analyzer Laboratory Viscometer

Model YR05855 // YR05856





Technical Description:

Model	YR05855	YR05856
Rotating speed (r/min)	3/6/12/30/60	0.3/0.6/1.5/3/6/12/30/60
Measuring range (mPa.s)	1~100000	1~6000000
	Measure viscometer lower than 10, pls choose the optional accessory: 0# rotor	
Rotor	1-4# rotors (Standard); 0# rotors (optional)	
Measuring error (Newtonian liquids)	±0.5%	±1%
Repetitive error (Newtonian liquids)	±0.25%	±0.5%
Timer function	yes	yes
Power	110V / 60Hz or 220V / 50Hz	
Overall dimensions	300 * 300 * 450mm	



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE >

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



ANY DOUBT?Contact us!

Articles Kalstein

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/

Kalstein Training Videos

(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

